

Yaesu System Fusion DR-2X Repeater Program - Sep 25th - Oct 31, 2024

This program allows for the purchase of an analog/ C4FM digital (Yaesu System Fusion) repeater.*

- \$950 DR-2X Repeater for Single Repeater Setup (For WiRES-X, an optional HRI-200 is required.)
- \$1,300 DR-2X Repeater with LAN-01A for Multi-site Repeater System linked in LAN environment (WiRES-X is not available when using the internet-linked Multi-site Repeater System.)

For purchase, please review the terms and conditions of the program (page 3) and if it is agreeable, fill in the application form (page 2) and submit it to the following address. We will process and deliver your order within up to 14 weeks.

Sales Support & Application Submission / Fax / Mail

YAESU USA

Attn: Repeater Program Administrator* 6125 Phyllis Drive, Cypress, CA 90630

Phone: 714-827-7600 Option 3

FAX #1: 714-827-8100 FAX #2: 714-527-9472

E-mail: dr2xprogram@yaesu.com

*Please include - Attn: Repeater Program Administrator in all E-MAIL and USMAIL communications for proper routing

Technical Support Contact

Please direct All technical questions to: YAESU USA CUSTOMER SERVICE

6125 Phyllis Dr, Cypress, CA. 90630 Phone: 1-714-827-7600 Option 8 E-mail: amateurtech@yaesu.com

*This program is open to clubs, groups, and organizations or individuals located within North America ONLY.

Features of the DR-2X repeater

- Dual-band repeater is equipped with VHF and UHF Amateur radio bands.
- AMS (auto mode select) feature can relay both C4FM and Analog FM signals.
- GPS information can be transmitted in the C4FM digital modes
- Using DG-ID, the system manager can control some repeater settings remotely.
- Option to use the HRI-200 for linking to WiRES-X. *PC is required.
- Option to use with the LAN-01A for direct internet linking. *LAN-01A is not necessary for WiRES-X operation.

Features of the LAN Unit LAN-01A

- Allows you to build an IMRS (internet-linked Multi-site Repeater System) and easily manage a network of multiple connected repeaters.
- Allows you to link up to 99 repeaters as part of a private network
- Uses DG-IDs to navigate to and link different groups of repeaters
- Requires only an internet connection. Does not require a separate PC except for initial programming of the LAN-01A board.
- LAN-01A is not necessary for the WiRES-X operation.



System Fusion Repeater Installation Program Application and Order Form

1.	Please check the box in which configuration you would like to purchase the DR-2X:
□ \$95	50 : DR-2X Repeater for Single Repeater Setup
(For t	he WiRES-X operation, the optional HRI-200 is required.)
□ \$1 ,	,300 : DR-2X with the LAN-01A unit for Multi-site Repeater System using a LAN connection
(WiRE	ES-X direct through an HRI-200 cannot be used when the LAN-01A is installed.)
2.	Please fill in your contact information and "Ship to address" of your order:
Attenti	ion:
Shippi	ing Address:
City: _	State:
Zip/Po	ostal Code:
Phone	e Number:
EMail	Address:
*Physi	ical Address of Repeater Site/Location (City & State):
3.	Please check your payment method:
<u>Payme</u>	ent Method:
□ Che	ck/Money Order (Do not fill out credit card section, please mail application in with Check)
□ Cred	dit Card [☐ Visa / ☐ MasterCard / ☐ American Express (Discover not accepted)]
Name	of Credit Card Holder:
	Card #: Exp:
Billing	Address:
	State:
	estal Code:
4.	Please select in which mode you are to use the DR-2X repeater mainly:
	C4FM Digital
	FM Analog
	C4FM Digital and FM Analog
5.	Please review the terms and conditions of the program (page 3). If it is agreeable and you will purchase the DR-2X according to this application and order form, please print and sign below.
Autho	rized Signature:
Drints	d Nama:
Fillite	d Name: Callsign:



System Fusion Repeater Installation Program

Terms and Conditions – Effective Sept 25, 2024

The System Fusion Repeater Installation Program is based upon the following Terms and Conditions:

- You must agree not to resell, sell, or trade any hardware for at least 1 year.
- You must agree to place the repeater on the air operating in the area listed on your application.
- Repeater must be on the air for a total of 12 months (1 year) in total length.
- Warranty is non-transferable and applies to original purchaser only (signature) of the application/ order form.
- If you fail to agree with the requirements or have failed/not met the requirements with past program purchases, your participation in the program may not be granted.
- Pricing and Terms and Conditions are to subject to change, and this program may end without advance notice.
- This program is open to clubs, groups, organizations, or individuals located within North America ONLY.
- Please <u>only submit one form per one repeater purchase</u> (E-mail, Fax, or Postal Mail are accepted. Preferred method is via email). *DO NOT SEND MULTIPLE COPIES OF THE SAME APPLICATION.
- You may purchase as many repeaters as you would like through this program. Each repeater must adhere to the program requirements as listed above.
- Please provide the requested information on the application and order form along with an authorized signature agreeing to terms and conditions. Failure to provide all information may cause a delay in processing an application/ order.
- Each application and order are manually reviewed and approved/denied within a business week of being received to the program address.
- Completion of this form does not guarantee participation or automatic approval within the program.
- All applicants will receive a confirmation or denial (with reason stated) for each application submitted. (All decisions for program participation are final).
- Please allow up to 14 weeks for processing and delivery of the repeater.
- We accept the following payment methods: Visa, Mastercard, American Express, Check or Money Order. You will not be charged until the order is shipped. (Note: If payment is via Check, the repeater will not be shipped until the funds have cleared the bank).
- Any return and cancel requests are to be handled subject to the Yaesu return policy, which can be obtained by contacting Yaesu directly.